Technical data sheet

Clamp clip, single, FT metal pressure trough

Item number: 1156098





Suitable for all C profile rails with slot width 16–17 mm. Clip, bolt and pressure trough made of hot-dip galvanised steel. Version with welding and/or locknuts for use under difficult circumstances and for shake protection on request.













Steel



Hot-dip galvanised

Master data

Item number	1156098
Description 1	Clamp clip
Description 2	with metal pressure sump
Manufacturer	OBO
Dimension	52-58mm
Material	Steel
Surface	Hot-dip galvanised
Surface standard	DIN EN ISO 1461
Smallest sales unit	100
Unit of quantity	Piece
Weight	13.1 kg
Weight unit	kg/100 pc.
CO Footprint (GWP) Cradle-to- Gate	0,3043 kg COe / 1 Piece

Technical data sheet

Clamp clip, single, FT metal pressure trough



SW 10



Dimensions Dimension A 23 mm 64 mm Dimension B t Dimension C 35 mm Dimension G (mm) M8 Dimension H 93 mm Dimension L 44 mm Dimension t 2.5 mm Dimension x 5 mm

Technical data

Number of cables/pipes	1
for 1 cable H	93 mm
for 1 cable L	44
for rail with slot width (with interval), max.	17 mm
for rail with slot width (with interval), min.	16 mm
Halogen-free	no
Max. Tightening torque	5 Nm
With plastic trough	no
With metal trough	yes
Mounting type	Profile rail
Impact-resistant	no
Clamping range D, max.	58 mm
Clamping range D, min.	52 mm
Surface addition	hot galvanised
Material addition	Steel
With counter-trough	no
Material of trough	Steel