
Technical data sheet Cross-over 110 FS







Cross-over for the creation of a horizontal branch, fitting for lock and screw-on cable trays of side height 110 mm. Screwless mounting with double clamps or screw connection with FRS truss-head screws and M6 combination nuts. Can be used in indoor areas. Fastening material must be ordered separately.

CER

St

Steel

FS

Strip galvanized


Master data

Item number	7027351	
Туре	RK 110 FS	
Description 1	Cross over	
Description 2	for cable tray	
Manufacturer	OBO	
Dimension	110x100	
Colour	zinc	
Material	Steel	
Surface	Strip galvanized	
Surface standard	DIN EN 10346	
Smallest sales unit	1	
Unit of quantity	Piece	
Weight	127.3 kg	
Weight unit	kg/100 pc.	
CO2 Footprint (GWP) Cradle-to- Gate	4,2967 kg CO2e / 1 Piece	

Technical data sheet Cross-over 110 FS



Item number: 7027351



Technical data		
	Connector version	Integrated connector
	Maintain electrical functions	no
	Material thickness, floor plate	0.8 mm
	NATO hole pattern	no
	Rustproof steel, pickled	no
	Permitted temperature range, max.	120 °C
	Permitted temperature range, min.	-20 °C
	Wide-span version	no
	Type of connector, cable support system	screwed/clamped
	Recommended quantity of bolts	36 St.
	Rail thickness	1.25 mm